

Biological Agent Reference Sheet (BARS)

This content of this document is for Emory University USE ONLY.

The information and contents of this Biological Agent Reference Sheet (including all text and graphics), whether available in print or electronic format (including any digital format, e-mail transmissions, or download from the website), shall be known hereinafter as "Reference Sheet Content". The Reference Sheet Content is provided as a courtesy and is not intended as a sole source of guidance in the evaluation of Biological Agents. The Reference Sheet Content is not intended to substitute for medical advice, medical care, diagnosis or treatment obtained from a physician or health care provider. Please seek the advice of a physician or other qualified health provider with any questions you may have regarding a medical condition. Do not rely on the Reference Sheet Content for diagnosis, treatment, or medical advice. This Reference Sheet Content is for informational purposes and does not provide individualized medical care or treatment. No endorsement of any specific tests, products, or procedures is made by Reference Sheet Content or affiliated party, member, agent or employee of the Emory University Environmental Health and Safety Office.

BIOLOGICAL AGENT REFERENCE SHEET
Conotoxin

CHARACTERISTICS	
<i>Natural Source</i>	Neurotoxic venom naturally produced by the <i>Conus</i> genus of gastropod mollusks
<i>Laboratory Source</i>	Isolated toxin
<i>Characteristics</i>	Conotoxins are polypeptides comprised of 10-30 amino acids and stabilized by distinct patterns of disulfide bonds. Mechanisms of action for five conotoxins have been determined so far: α -conotoxin: Acetylcholine nicotinic receptor inhibitor μ -conotoxin: Voltage-gated sodium channel inhibitor δ -conotoxin: Inhibitor of the inactivation of voltage-gated sodium channels ω -conotoxin: N-type voltage-gated calcium channel inhibitor κ -conotoxin: Potassium channel inhibitor

HEALTH HAZARDS	
<i>Route of Entry</i>	Inhalation, ingestion, absorption, and injection
<i>Signs and Symptoms</i>	General symptoms include severe pain to spreading numbness. Severe intoxication exhibits itself through muscle paralysis, blurred or double vision, difficulty breathing and/or swallowing, and respiratory or cardiovascular collapse.
<i>Toxicity Dose Data</i>	LD ₅₀ = 5 μ g/kg

MEDICAL PRECAUTIONS / TREATMENT	
<i>Diagnosis</i>	No rapid diagnostic assays are currently available
<i>Prophylaxis</i>	None available
<i>Vaccines</i>	None available
<i>Treatment</i>	No antidote available. Administer supportive care (artificial respiration to support breathing).
<i>Emory Requirements</i>	Report all exposures immediately

CONTAINMENT REQUIREMENTS	
<i>BSL-2</i>	Most manipulations of conotoxins
<i>BSL-3</i>	Large scale production of c or activities with a high potential for aerosol or droplet generation

SUPPLEMENTAL REFERENCES	
<i>BMBL: 5th Edition</i>	http://www.cdc.gov/biosafety/publications/bmb15/
<i>Essentials of Toxicology</i>	Klaassen CD, Watkins JB. 2003. Casarett & Doull's Essentials of Toxicology. New York (NY): McGraw-Hill.
<i>Biological Safety: Principles & Practices</i>	Flemming DO, Hunt DL. 2006. Biological Safety: Principles and Practices. 4 th Edition. ASM Press.

SPILL PROCEDURES	
<i>Small</i>	Notify others working in the lab. Rinse gloves with decontamination solution and don new gloves. Cover area of the spill with paper towels and apply decontamination solution, working from the perimeter towards the center. Exit and keep others from entering the laboratory. Allow 1 hour of contact time before entering the laboratory without respiratory protection. Cleanup and dispose of spill materials.
<i>Large</i>	Contact Emory's Biosafety Officer (404-727-8863), the EHSO Office (404-727-5922), or The Spill Response Team (404-727-2888).

EXPOSURE PROCEDURES					
<i>Mucous membrane</i>	Flush eyes, mouth or nose for 15 minutes at eyewash station.				
<i>Other Exposure</i>	Wash area with soap and water for 15 minutes.				
<i>Reporting</i>	Immediately report incident to supervisor, complete an employee incident report in PeopleSoft.				
<i>Medical Follow-up</i>	<table border="0"> <tr> <td><i>7am-4pm (OIM):</i> EUH (404-686-7941) EUHM (404-686-7106) WW (404-728-6431)</td> <td><i>After Hours:</i> OIM NP On Call 404-686-5500 PIC# 50464</td> </tr> <tr> <td><i>Needle Stick (OIM):</i> EUH (404-686-8587) EUHM (404-686-2352)</td> <td><i>Yerkes:</i> Maureen Thompson Office (404-727-8012) Cell (404-275-0963)</td> </tr> </table>	<i>7am-4pm (OIM):</i> EUH (404-686-7941) EUHM (404-686-7106) WW (404-728-6431)	<i>After Hours:</i> OIM NP On Call 404-686-5500 PIC# 50464	<i>Needle Stick (OIM):</i> EUH (404-686-8587) EUHM (404-686-2352)	<i>Yerkes:</i> Maureen Thompson Office (404-727-8012) Cell (404-275-0963)
<i>7am-4pm (OIM):</i> EUH (404-686-7941) EUHM (404-686-7106) WW (404-728-6431)	<i>After Hours:</i> OIM NP On Call 404-686-5500 PIC# 50464				
<i>Needle Stick (OIM):</i> EUH (404-686-8587) EUHM (404-686-2352)	<i>Yerkes:</i> Maureen Thompson Office (404-727-8012) Cell (404-275-0963)				

VIABILITY	
<i>Decontamination</i>	Use a reactive disinfectant such as glutaraldehyde and formaldehyde.
<i>Inactivation</i>	Autoclaving is not an effective method of physical inactivation of conotoxins.

PERSONAL PROTECTIVE EQUIPMENT (PPE)	
<i>Minimum PPE Requirements</i>	At minimum, personnel are required to don gloves, closed toed shoes, lab coat, and appropriate face and eye protection prior to working with conotoxin. Additional PPE may be required depending on lab specific SOPs.
<i>Additional Precautions</i>	Depending on the risk assessment, respirators may be required when working with conotoxins. Fit testing and training is required annually per Emory's Respiratory Program: http://www.ehso.emory.edu/content-manuals/RespiratoryProtectionProgram.pdf

ADDITIONAL REQUIREMENTS	
<i>Regulatory Requirements</i>	Conotoxins are select agents and are regulated under the federal regulation 42 CFR Part 73. Conotoxins are not regulated if the amount under the control of a principal investigator, treating physician or veterinarian, or commercial manufacturer or distributor does not exceed 100 mg , at any time. Possession of select agent toxins above the maximum amount without CDC registration is a criminal offense and punishable by up to five years in prison and/or \$500,000 in fines. Please contact your Biosafety Officer if you do not have biosafety approval for working with Conotoxin.